EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 page)) same ((group $3 or merg$3) near4 (plural$5 adj2 page) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:42
S2	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 (image))) same ((group$3 or merg $3) near4 (plural$5 adj2 image) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:42
S3	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 (document))) same ((group$3 or merg $3) near4 (plural$5 adj2 documenht) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S4	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 (document))) same ((group$3 or merg $3) near4 (plural$5 adj2 document) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S5	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 (document))) same ((group$3 or merg $3) near4 (plural$5 adj2 document) same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43

S6	0	((fax or facsimile) near3 (receiv$5) near4 (plural$5 adj3 page)) same ((group $3 or merg$3) near4 (plural$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S7	0	((fax or facsimile) same (receiv$5) near4 (plural$5 adj3 page)) same ((group $3 or merg$3) near4 (plural$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S8	77	((fax or facsimile) same (receiv$5) near4 (plural$5 adj3 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S9	2	((fax or facsimile) same (receiv$5) near4 (plural$5 adj3 page)) and ((group $3 or merg$3) near4 (plural$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:44
S10	6	((fax or facsimile or mfp or ifax or multifunction$5) same (receiv$5) near4 (plural$5 adj3 (image or document or page))) and ((group$3 or merg $3) near4 (plural$5 adj2 (image or document or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:45
S11	0	((fax or facsimile or mfp or ifax or multifunction$5) same (receiv$5) near4 (plural$5 adj3 (image or document or page))) and ((group$3 or merg $3) near4 (plural$5 adj2 (image or document or page))) and ((transmi$7 or send$3) with (((group $3 or merg$3) near4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:47

		(plural$5 adj2 (image or document or page))))) same (mail or email or e-mail)				
S12	0	((fax or facsimile or mfp or ifax or multifunction$5) same (receiv$5) near4 (plural$5 adj3 (image or document or page))) and ((group$3 or merg$3) near4 (plural$5 adj2 (image or document or page))) and ((transmi$7 or send$3 or transfer$5 or rout$3) with ((((group$3 or merg$3) near4 (plural$5 adj2 (image or document or page))))) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:47
S13	0	((fax or facsimile or mfp or ifax or multifunction$5) same (receiv$5) near4 (plural$5 adj3 (image or document or page))) and ((group$3 or merg$3) near4 (plural$5 adj2 (image or document or page))) and ((transmi$7 or send$3 or transfer$5 or rout$3) same ((((group$3 or merg$3) near4 (plural$5 adj2 (image or document or page))))) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:48

S14	4	((fax or facsimile or mfp or ifax or multifunction$5) same (receiv$5) near4 (plural$5 adj3 (image or document or page))) and ((group$3 or merg$3) near4 (plural$5 adj2 (image or document or page))) and ((transmi$7 or send$3 or transfer$5 or rout$3) same (mail or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:48
S15	2	"6956663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:54
S16	1	"6956663".pn. and merg$5 same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:07
S17	1	"6956663".pn. and page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:08
S18	1	"6956663".pn. and page near3 document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:08
S19	1	"6956663".pn. and reception adj2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:09
S20	0	"6956663".pn. and st1402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S21	1	"6956663".pn. and st402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S22	0	"6956663".pn. and user with merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10

S23	0	"6956663".pn. and user same merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S24	0	"6956663".pn. and (prefer$6 or setting or option or mode) same merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S25	1	"6956663".pn. and (prefer$6 or setting or option or mode) same55 merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S26	1	"6956663".pn. and (prefer$6 or setting or option or mode) same5 merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S27	0	"6956663".pn. and (prefer$6 or setting or option or mode) same2 merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S28	0	"6956663".pn. and (prefer$6 or setting or option or mode) same3 merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S29	1	"6956663".pn. and (prefer$6 or setting or option or mode) same4 merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S30	1	"6956663".pn. and merg$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S31	1	"6956663".pn. and st401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:13
S32	1	"6956663".pn. and st1401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:14
S33	1	"6956663".pn. and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:15
S34	0	"6956663".pn. and separate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16

S35	0	"6956663".pn. and divi$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16
S36	1	"6956663".pn. and st1407	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:17
S37	1	"6956663".pn. and st1408	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:17
S38	1	"6956663".pn. and attach$67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S39	0	"6956663".pn. and attach$6 with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S40	1	"6956663".pn. and attach$6 same document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S41	0	"6956663".pn. and document adj2 file with page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S42	0	"6956663".pn. and document adj2 file same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S43	1	"6956663".pn. and file same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S44	1	"6956663".pn. and file near3 page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S45	2	"6687742".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:42
S46	0	"6687742".pn. and ((single or one) near3 (ifd or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44

S47	0	"6687742".pn. and ((merg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44
S48	1	"6687742".pn. and ((single or one))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44
S49	0	((receiv$5) near4 (plural$5 adj3 page)) same ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:46
S50	0	((receiv$5) near4 (page)) same ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:47
S51	0	((receiv$5)) same (plural$5 adj3 page) same ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:47
S52	0	((receiv$5)) same (plural$5 adj3 page) same ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same ((single or one or merg$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48
S53	0	((receiv$5)) same (plural$5 adj3 page) same1 ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same1 ((single or one or merg$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48

S54	85	((receiv$5)) same (page) same1 ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same1 ((single or one or merg$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48
S55	68	((receiv$5)) same (page) same1 ((transfer$5 or rout$3 or forward$5) with (email or e-mail or mail)) same1 (page with (single or one or merg$5) with (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:49
S56	40	S55 and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:52
S57	460	((transmi$7 or send$3) near3 (email or e-mail or (electronic adj2 mail))) same tiff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:04
S58	13	((transmi$7 or send$3) near3 (email or e-mail or (electronic adj2 mail))) same tiff and (tiff same (plural$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:04
S59	7	S58 and ((single or one) near3 tiff) same (plural$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S60	0	S59 and ((multiple or plural$5) near3 tiff) same (plural$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S61	18	((single or one) near3 tiff) same (plural$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S62	2	S61 and ((multiple or plural$5) near3 tiff) same (plural$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05

S63	32	((single or one) near3 tiff) same ((multiple or plural $5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:06
S64	13	S63 and ((multiple or plural$5 or separate) near3 tiff) same ((multiple or plural $5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:07
S65	13	S63 and ((multiple or plural$5 or separate or unique) near3 tiff) same ((multiple or plural$5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:07
S66	43	((single or one) near3 tiff) same ((multiple or plural $5) adj2 (image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:09
S67	10	S66 and ((multiple or plural$5 or separate or unique) near3 tiff) same ((multiple or plural$5) adj2 (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:10
S68	42	((single or one) near3 (attachment)) same ((multiple or plural$5) adj2 (image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:13
S69	14	S68 and ((multiple or plural$5 or separate or unique) near3 attachment) same ((multiple or plural $5) adj2 (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:14
S70	4	S69 and (page with (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:14
S71	5	S69 and (page same (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:15

S72	10	S69 and ((email or e-mail or (electronic adj3 mail)) near3 attach$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S73	10	S69 and ((email or e-mail or (electronic adj3 mail)) near5 attach$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S74	60	((single or one) near3 (attachment)) same ((multiple or plural$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S75	22	S74 and ((multiple or plural$5 or separate or unique) near3 attachment) same ((multiple or plural$5) adj2 (page or picture or document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S76	12	S75 and ((email or e-mail or (electronic adj3 mail)) near5 attach$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S77	14	S75 and ((email or e-mail or (electronic adj3 mail)) same attach$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S78	82	((single or one) near3 (file)) same attach$6 same ((multiple or plural$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:18
S79	41	S78 and ((multiple or plural$5 or separate or unique) near3 (file)) same attach$6 same ((multiple or plural$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:19
S80	17	S79 and ((email or e-mail or (electronic adj3 mail)) same attach$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:19

S81	10	S80 and (user with attach$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:24
S82	16	"6078921" and (user with attach$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:25
S83	0	"6078921.pn" and (user with attach$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:25
S84	13	S79 and ((email or e-mail or (electronic adj3 mail)) same attach$6) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:30
S85	454	((receiv$5) near3 (e-mail or mail or email)) same (body) same (attach$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:12
S86	62	S85 and ((transfer$5 or forward$5) near3 (e-mail or mail or email)) same (body) same (attach$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:14
S87	0	S86 and ((option$5 or mode or configur $6) same ((transfer $5 or forward$5) near4 (only) near4 (body or (attach$6 near4 (file or image or picture)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16
S88	0	S86 and ((option$5 or mode or configur $6) same ((transfer $5 or forward$5) near4 (only or just) near4 (body or (attach$6 near4 (file or image or picture)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16

S89	1	S86 and ((option$5 or mode or configur $6) same ((transfer $5 or forward$5) near4 (body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16
S90	21	S86 and ((option$5 or mode or configur $6) same ((transfer $5 or forward$5) near4 (attach$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:17
S91	1	S86 and ((option$5 or mode or configur $6) same ((transfer $5 or forward$5) near4 (text$5 or body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:17
S92	46	S85 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5) same ((transfer $5 or forward$5) near4 (attach$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:23
S93	4	S92 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5) same ((transfer $5 or forward$5) near4 (body or text $5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:24
S94	2606	((receiv$5 or transfer $5 or forward$5) near3 (e-mail or mail or email)) same (body or text$5 or message) same (attach$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:27
S95	2737	((receiv$5 or transfer $5 or forward$5) near3 (e-mail or mail or email)) same (body or text$5 or message) same ((inser$6 or append $5 or attach$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:28

S96	2796	((receiv$5 or transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) same (body or text$5 or message) same ((inser$6 or append$5 or attach$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:28
S97	297	S96 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:29
S98	704	S96 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7 or image or picture or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:29
S99	359	S98 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5) same ((transfer$5 or forward$5 or rout$3) near4 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:30
S100	225	S96 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5) same (only or just or without) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7 or image or picture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:30

		or file)))				
S101	68	S100 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5) same (only or just or without) same ((transfer$5 or forward$5 or rout$3) near4 (body or text $5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:31
S102	38	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5) same ((transfer $5 or forward$5 or rout$3) near4 (only or just or without) near4 (append$5 or insert$5 or attach$7 or image or picture or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:42
S103	7	S102 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5) same ((transfer $5 or forward$5 or rout$3) near4 (only or just or without) near4 (body or text $5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:55
S104	19	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same (without near4 (body or text$5 or message)) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:02

S105	9	S104 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5 or preferr$6) same (without near4 (append$5 or insert$5 or attach$7 or image or picture)) same ((transfer$5 or forward$5 or rout$3) near4 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:02
S106	25	S96 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5 or preferr$6) same ((delet$5 or remov$3 or purg$3) near4 (body or text$5 or message)) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:06
S107	4	S106 and ((option$5 or mode or configur$6 or select$5 or choos$3 or designat$5 or preferr$6) same ((delet$5 or remov$3 or purg$3) near4 (append$5 or insert$5 or attach$7 or image or picture)) same ((transfer$5 or forward$5 or rout$3) near4 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:14

S108	25	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((delet$5 or remov$3 or purg$3 or eras$5) near4 (body or text$5 or message)) same ((transfer$5 or forward$5 or rout$3) near4 (append$5 or insert$5 or attach$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:14
S109	10	S108 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((delet$5 or remov$3 or purg$3) near4 (append$5 or insert$5 or attach$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:15
S110	45	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((extract$5) near4 (body or text $5 or message)) same ((transfer$5 or forward$5 or rout$3) near4 (body or text $5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:19
S111	5	S110 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((extract$5) near4 (inser$6 or append$5 or attach $6 or image or picture)) same ((transfer$5 or forward$5 or rout$3) near4 (inser$6 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:20

		append$5 or attach $6 or image or picture)))				
S112	20	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 portion near4 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:25
S113	3	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 portion near4 (inser$6 or append $5 or attach$6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:25
S114	46	S96 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 (section or part or portion) near2 (body or text $5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:27
S115	1	S114 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 (section or part or portion) near2 (inser$6 or append$5 or attach $6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:28

S116	35	S114 and ((option$5 or mode or configur $6 or select$5 or choos$3 or designat $5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 (inser$6 or append$5 or attach $6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:28
S117	11	S96 and ((user or sender or originator) near3 (option$5 or mode or configur$6 or select$5 or choos $3 or designat$5 or preferr$6) same ((transfer$5 or forward$5 or rout$3) near4 (section or part or portion) near2 (body or text $5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:45
S118	17	S96 and ((user or sender or originator or receiver or recipient) near3 (option$5 or mode or configur$6 or select $5 or choos$3 or designat$5 or preferr $6) same ((transfer $5 or forward$5 or rout$3) near4 (section or part or portion) near2 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:46
S119	5	S96 and ((user or sender or originator or receiver or recipient) near3 (option$5 or mode or configur$6 or select $5 or choos$3 or designat$5 or preferr $6) same ((transfer $5 or forward$5 or rout$3) near4 (section or part or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:46

		portion) near2 (image or picture or attach$6 or insert$5 or append$6)))				
S120	2808	((receiv$5 or transfer $5 or forward$5 or route or routing or routed or relay$5) near3 (e-mail or mail or email)) same (body or text$5 or message) same (((inser$6 or append $5 or attach$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:50
S121	20	S120 and ((user or sender or originator or receiver or recipient) near3 (option$5 or mode or configur$6 or select $5 or choos$3 or designat$5 or preferr $6) same ((transfer $5 or forward$5 or rout$3 or relay$5) near4 (only or just or section or part or portion) near2 (body or text$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:51
S122	12	S120 and ((user or sender or originator or receiver or recipient) near3 (option$5 or mode or configur$6 or select $5 or choos$3 or designat$5 or preferr $6) same ((transfer $5 or forward$5 or rout$3 or relay$5) near4 (only or just or separat$5 or without or exclu$6 or section or part or portion) near2 (image or picture or attach$6 or insert$5 or append $6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:52

S123	1	S121 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:52
S124	2	"6157706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:56
S125	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:58
S126	1	"6658456".pn. and (only near3 (append $5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:12
S127	1	"6658456".pn. and (only near3 (receiv $5 or append$5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:13
S128	1	"6658456".pn. and (only near3 (transfer $5 or receiv$5 or append$5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:14
S129	0	"6658456".pn. and (image adj2 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:23
S130	0	"6658456".pn. and (image near2 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S131	2	"6658456".pn. and (content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S132	2	"6658456".pn. and (detect$5 same content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S133	0	"6658456".pn. and "1008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35

S134	1	"6658456".pn. and "st1008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35
S135	1	"6658456".pn. and "st1015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35
S136	0	"6658456".pn. and "st1010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:36
S137	0	"6658456".pn. and without near2 main	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S138	0	"6658456".pn. and without near8 main	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S139	0	"6658456".pn. and without near8 body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S140	1	"6956663".pn. and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:51
S141	1	"6956663".pn. and st1401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:54
S142	1	"6956663".pn. and st1407	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:54
S143	1	"6956663".pn. and transmi$5 with merg $5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55
S144	1	"6956663".pn. and attach$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55
S145	1	"6956663".pn. and attach$5 same document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55

S146	0	"6956663".pn. and customi$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S147	2	"6956663".pn. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S148	0	"6956663".pn. and user with format$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S149	1	"6956663".pn. and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:06
S150	0	"6956663".pn. and destination with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:07
S151	1	"6956663".pn. and destination with e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:07
S152	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:23
S153	1	"6658456".pn. and (internet same (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:36
S154	0	"6658456".pn. and (internet same "30")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S155	0	"6658456".pn. and (internet same "44")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S156	1	"6658456".pn. and (internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S157	1	"6658456".pn. and main adj2 part	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:55

S158	0	"6658456".pn. and only near2 append $5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:00
S159	1	"6658456".pn. and only near5 append $5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:00
S160	9	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) same ((transfer$5 or forward$5 or route or routing or routed) near4 only near4 ((append$5 or attach$6) near4 (file or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:15
S161	1	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) same ((transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6) near4 (file or image or picture))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:17
S162	1	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) same1 ((transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6) near4 (file or image or picture))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:18

S163	1	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) same1 ((transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:18
S164	3	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:19
S165	4	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6))) same ((exclu$6 or remov$3 or delet$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:21
S166	10	((transfer$5 or forward$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((send$3 or transmi$7 or transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6))) same ((exclu$6 or remov$3 or delet$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:21

S167	10	((transfer$5 or forward$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send$3 or transmi $7 or transfer$5 or forward$5 or route or routing or routed) near4 ((append$5 or attach$6))) same ((exclu$6 or remov $3 or delet$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:23
S168	29	((transfer$5 or forward$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send$3 or transmi $7 or transfer$5 or forward$5 or route or routing or routed) near4 ((image or append$5 or attach $6))) same ((exclu$6 or remov$3 or delet $5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:24
S169	42	((transfer$5 or forward$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send$3 or transmi $7 or transfer$5 or forward$5 or route or routing or routed) near4 ((data))) same ((exclu$6 or remov $3 or delet$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:26

S170	65	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile or e-mail or mail or email)) and ((send$3 or transmi$7 or transfer $5 or forward$5 or route or routing or routed or relay$5) near4 ((image or picture or attach$6 or append$5 or data))) same ((exclu $6 or remov$3 or delet$5 or without or ignor$5) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:34
S171	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:43
S172	1	"6658456".pn. and (internet with (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:43
S173	0	"6658456".pn. and (email near3 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S174	0	"6658456".pn. and (e-mail near3 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S175	0	"6658456".pn. and (e-mail same body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S176	1	"6658456".pn. and (body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S177	1	"6658456".pn. and (main with text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47

S178	1	"6658456".pn. and (main adj2 part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47
S179	1	"6658456".pn. and (main adj2 part same append$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47
S180	1	"6363412".pn. and body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:17
S181	1	"6363412".pn. and body same (necess $7 or unnecess$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:20
S182	1	"6363412".pn. and server with (stor$5 or memory) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:37
S183	1	"6363412".pn. and divi$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:49
S184	62	"236541"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S185	1	"236541" and mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S186	0	"236541" and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S187	1	"236541" and e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S188	4	"7183824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:02
S189	1	"8139747"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:02

S190	4	"006530".ap. and conver$56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:20
S191	1	"006530".ap. and "s605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:22
S192	3	"006530".ap. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:24
S193	1	"6658456".pn. and st1005	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:31
S194	2	"6157706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:41
S195	1	"6157706".pn. and conver$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:42
S196	0	"6157706".pn. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S197	0	"6157706".pn. and coverpage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S198	1	"6157706".pn. and number adj2 page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S199	1	"6157706".pn. and recipient adj2 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:50
S200	1	"006530".ap. and "s603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:52

S201	106	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same ((send$3 or transmi $7 or transfer$5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail) near4 (attach $7 or append$5 or past$5 or insert$5)) and ((conver$5 or transform$5 or chang $3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:59
S202	0	S201 and ((configur $5 or register$5 or sav$3) same (attach $7 or append$5 or past$5 or insert$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:01
S203	0	S201 and ((configur $5 or register$5 or sav$3) same (attach $7 or append$5 or past$5 or insert$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:02

S204	185	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same ((send$3 or transmi$7 or transfer$5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail) same (attach$7 or append$5 or past$5 or insert$5)) and ((conver$5 or transform$5 or chang$3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:02
S205	200	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same ((send$3 or transmi$7 or transfer$5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail) same (attach$7 or append$5 or past$5 or insert$5)) and ((format$5 or conver$5 or transform$5 or chang$3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:03
S206	1	S205 and ((configur$5 or register$5 or sav$3) same (attach$7 or append$5 or past$5 or insert$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:05

S207	333	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same ((send$3 or transmi $7 or transfer$5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail) same (attach$7 or append$5 or past $5 or insert$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:06
S208	2	S207 and ((configur $5 or register$5 or sav$3) same (attach $7 or append$5 or past$5 or insert$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:06
S209	744	((transfer$5 or forward$5 or route or routing or routed or relay$5 or receiv$5 or recept$5) near3 (fax or facsimile)) same ((send$3 or transmi$7 or transfer $5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail) same (attach$7 or append $5 or past$5 or insert $5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:07

S210	22	S209 and ((configur$5 or register$5 or sav$3 or option$5) same (attach$7 or append$5 or past$5 or insert$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:08
S211	3	S209 and ((configur$5 or register$5 or sav$3 or option$5) same (transfer$5 or forward$5 or route or routing or routed or relay$5) same ((only or without or "with" or inclu$5 or exclu$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:10
S212	0	S209 and ((configur$5 or register$5 or sav$3 or option$5 or setting) same ((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:13
S213	0	S209 and ((configur$5 or register$5 or sav$3 or option$5 or setting) same ((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 ((first or front or cover or some or last) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:13

S214	8	S209 and ((configur $5 or register$5 or sav$3 or option$5 or setting) same ((transfer$5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append$5 or past $5 or insert$5) near3 ((first or front or cover or some or last) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:14
S215	30	S209 and ((((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:20
S216	30	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover) adj2 (image or document or original or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:20
S217	6	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover) adj2 (image or document or original or page))) same (prefer$5 or select$5 or choos$3 or designat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:21

S218	30	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover) adj2 (image or document or original or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:22
S219	18	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover) adj2 (image or document or original or page))) same only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:22
S220	3	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((color) adj2 (image or document or original or page))) same only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:24
S221	0	S209 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((monochrom$6) adj2 (image or document or original or page))) same (destination near4 (monochrom$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:25

S222	3991	((transfer$5 or forward$5 or route or routing or routed or relay$5 or receiv$5 or recept$5) near3 (fax or facsimile)) same ((send$3 or transmi$7 or transfer $5 or forward$5 or route or routing or routed or relay$5) near4 (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:36
S223	0	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((monochrom$6) adj2 (image or document or original or page))) same (destination near4 (monochrom$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:37
S224	1	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((some or select$5 or chosen or designat$5) adj2 (page))) same (destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:38
S225	11	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((some or select$5 or chosen or designat$5) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:38

S226	67	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover or main or some or select$5 or chosen or designat$5) near2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:40
S227	49	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) near3 ((cover or main or some or select$5 or chosen or designat$5) near2 (page))) not mongo $8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:42
S228	0	S222 and ((transfer $5 or forward$5 or route or routing or routed or relay$5 or attach$7 or append $5 or past$5 or insert $5) same (mode or option$5 or configur $5 or setting or register$6) same (without near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:46
S229	0	S222 and ((mode or option$5 or configur $5 or setting or register$6) same (without near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:46
S230	0	S222 and ((mode or option$5 or configur $5 or setting or register$6) same ((exclu$5 or without) near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:47

S238	0	S235 and ((transfer$5 or forward$5 or route or routing or routed or relay$5 or transmi$7 or send$3) same ((delet$5 or eras$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:53
S239	5	S235 and ((transfer$5 or forward$5 or route or routing or routed or relay$5 or transmi$7 or send$3) same ((delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:54
S240	29	(((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) and ((receiv$5) near4 cover adj2 (page or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:56
S241	47	(((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) and ((receiv$5) near4 (header or front or title or cover) adj2 (page or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:57
S242	2	S241 and ((transfer$5 or forward$5 or route or routing or routed or relay$5 or transmi$7 or send$3) same ((exclu$5 or without or delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:57

S243	95	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:59
S244	4	S243 and ((transfer$5 or forward$5 or route or routing or routed or relay$5 or transmi$7 or send$3) same ((exclu$5 or without or delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:59
S245	4	S243 and (((exclu$5 or without or delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:01
S246	0	S243 and (((exclu$5 or without or delet$5 or eras$5 or remov$5) near4 (unnecessary) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:02
S247	5	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) same (unnecessary) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:02
S248	570	((transfer$5 or forward$5 or route or routing or routed or relay$5) near3 (fax or facsimile)) and (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03

S249	0	S248 and (((exclu$5 or without or delet$5 or eras$5 or remov $5) near4 (unnecessary) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03
S250	8	S248 and (((exclu$5 or without or delet$5 or eras$5 or remov $5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03
S251	452	((server) near3 (fax or facsimile)) and (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:05
S252	9	S251 and (((exclu$5 or without or delet$5 or eras$5 or remov $5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:05
S253	11	S251 and (((only) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:06
S254	5	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) near3 (fax or facsimile)) and ((delet $5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page or image)) and ((fax or facsimile) same (receiv$5 or recept$5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:09

S255	46	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) near3 (image or document)) and ((delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page or image)) and ((receiv$5 or recept $5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:11
S256	56	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and ((delet$5 or eras$5 or remov$5) near4 (header or front or title or cover) adj2 (page or image)) and ((receiv$5 or recept $5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:14
S257	141	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and (((transfer$5 or forward$5 or route or routing or routed or relay$5 or transmi$7 or send$3) near4 (header or front or title or cover) adj2 (page or image)) same (option$5 or mode or select$5 or choos$3 or designat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:16

		$5 or register$5)) and ((receiv$5 or recept$5) same ((header or front or title or cover) adj2 (page or image)))				
S258	717	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page or image) with (option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) and ((receiv$5 or recept $5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:17
S259	87	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page or image) with (option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) and ((receiv$5 or recept $5) same ((header or front or title or cover) adj2 (page or image))) and (without with ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:18

S260	40	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page) with (option $5 or mode or select $5 or choos$3 or designat$5 or register$5)) and ((receiv$5 or recept $5) same ((header or front or title or cover) adj2 (page or image))) and (without with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:18
S261	13	((transfer$5 or forward$5 or route or routing or routed or relay$5 or server) same (fax or facsimile or image or document)) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5)) same ((receiv$5 or recept $5) with ((header or front or title or cover) adj2 (page))) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5)) same ((receiv$5 or recept $5) with ((main or body or text) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:29

| S262 | 2 | ((transfer$5 or forward$5 or route or routing or routed or relay$5) same (((receiv$5 or recept$5) near4 (page or document or image))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (((receiv$5 or recept$5) with ((header or front or title or cover) adj2 (page))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (((receiv$5 or recept$5) with ((main or body or text) adj2 (page))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/16 14:32 |
| S263 | 16 | ((transfer$5 or forward$5 or route or routing or routed or relay$5) and (((receiv$5 or recept$5) near4 (page or document or image))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (((receiv$5 or recept$5) with ((header or front or title or cover) adj2 (page))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (((receiv$5 or recept$5) with ((main or body or text) adj2 (page))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/16 14:33 |

S264	103	((transfer$5 or forward$5 or route or routing or routed or relay$5) and ((receiv$5 or recept$5) near4 (page or document or image))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (user or recipient) same ((receiv$5 or recept$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:36
S265	33	((transfer$5 or forward$5 or route or routing or routed or relay$5) same (fax or facsimile) and ((receiv$5 or recept$5) near4 (page or document or image))) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) same (user or recipient) same ((receiv$5 or recept$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:36
S266	12	(fax or facsimile) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5)) with (user or recipient) with ((receiv$5 or recept$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:44

S267	310	(fax or facsimile) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5) with (user or recipient) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:53
S268	35	(fax or facsimile) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5) with (recipient) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:53
S269	161	(fax or facsimile) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5) with (recipient or receiving or receiver or destination) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:56
S270	68	(fax or facsimile) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5) with (receiving or receiver or destination) with ((header or front or title or cover) adj2 (page))) and "358". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:56
S271	2	(fax or facsimile) and ((option$5 or mode or select$5 or choos $3 or designat$5 or register$5) with (receiving or receiver or destination) with ((text$5) adj2 (page))) and "358". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:06

S272	15	((transfer$5 or forward$5 or route or routing or routed or relay$5) same (fax or facsimile)) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5) with (recipient or receiving or receiver or destination) with ((text$5 or graphic or photograph$5) adj2 (page or image))) and ((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (text$5 or graphic or photograph$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:09
S273	781	((transfer$5 or forward$5 or route or routing or routed or relay$5) same (fax or facsimile)) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5) with (recipient or receiving or receiver or destination) with ((text$5 or graphic or photograph$5 or format$5))) and ((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (format$5 or text$5 or graphic or photograph$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:10

| S274 | 1 | ((transfer$5 or forward$5 or route or routing or routed or relay$5) same (fax or facsimile)) and ((option$5 or mode or select$5 or choos$3 or designat$5 or register$5) with (transfer$5 or forward$5 or route or routing or routed or relay$5) with ((text$5 or graphic or photograph$5 or format$5) adj2 page)) and (((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (format$5 or text$5 or graphic or photograph$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/16 15:12 |

EAST Search History (Interference)

<This search history is empty>

2/21/10 10:11:48 AM
C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10006530.020410.wsp